



# Statement of Volatility

## WorkCentre 3615

Copyright 2006, 2008, 2009, 2010, 2011, 2012, 2013 Xerox Corporation

Copyright protection claimed includes all forms and matters of copyrighted material and information now allowed by statutory or judicial law or hereinafter granted, including without limitation, material generated from the software programs that are displayed on the screen such as styles, templates, icons, screen displays, looks, etc.

XEROX®, The Document Company® and all Xerox product names and product numbers mentioned in this publication are trademarks of XEROX CORPORATION. All non-Xerox brands and product names may be trademarks or registered trademarks of the respective companies, and are hereby acknowledged.

Product appearance, build status and/or specifications are subject to change without notice.

# Statement of Volatility

WorkCentre 3615

## Notice

This document describes the locations, capacities and contents of volatile and non-volatile memory devices within the WorkCentre 3615.

The context of the information in this document is that normal means of access or data extraction are being attempted in order to reproduce, read, or extract stored or latent data. This does not include attempts to reproduce, read or extract data or reverse engineer storage methods by individuals or organizations with advanced skills or through the use of extraordinary resources and measures or specialty equipment not normally available in the industry or to the public.

The content of this document is provided for information purposes only. Performance of the products referenced herein is exclusively subject to the applicable Xerox Corporation terms and conditions of sale and/or lease. Nothing stated in this document constitutes the establishment of any additional agreement or binding obligations between Xerox Corporation and any third party.

## Primary Signature Block

This evaluation and summary was completed by:

|                  |                                                                                    |
|------------------|------------------------------------------------------------------------------------|
| Signature        |  |
| Printed Name     | Erin Huber                                                                         |
| Job Title        | Software Systems Engineer                                                          |
| Job Function     | Software Systems Engineer                                                          |
| Preparation Date | 9/10/2013                                                                          |

## Optional Signature Block

This evaluation and summary was reviewed and approved by:

|                  |                                                                                     |
|------------------|-------------------------------------------------------------------------------------|
| Signature        |  |
| Printed Name     | Ralph H. Stoos Jr.                                                                  |
| Job Title        | Technical Program Manager                                                           |
| Job Function     | Product Security Office                                                             |
| Preparation Date | 9/10/2013                                                                           |

# Statement of Volatility

## WorkCentre 3615

### Introduction

The Xerox WorkCentre 3615 is used to perform the following tasks:

- Copying
- Printing
- Scanning
- Faxing

This document describes the amounts and types of memory contained in the device in an easy to read tabular format. To allow security issues to be addressed as needed, specific commentary has been included about job data and where Personally Identifiable Information (PII) can be found in the system.

For larger Xerox systems that may contain multiple media feeders or multiple finishers, tabulated data is shown even though these devices never contain any job or PII data in electronic form. Also, in larger Xerox systems, another vendor may supply a Digital Front End (DFE) that is connected to the Xerox Print Engine. In these cases, the vendor of the DFE must provide their own Statement of Volatility for the hardware which comprises their additions to Xerox products.

The information contained in this document has been verified at the time the product is released for sale. Manufacturing process changes may require that memory amounts are increased but, the purpose or contents of the memory will not change.

### General Memory Information

#### Volatile Memory

All volatile memory listed is cleared after power is removed (decay occurs generally within 20 seconds at room temperature).

All volatile memory listed is required for normal system operation and during service and diagnostic procedures.

Removal of any volatile memory will void the warranty.

#### Non-Volatile Memory

All non-volatile memory listed is required for normal system operation and during service and diagnostic procedures.

Removal of any non-volatile memory will void the warranty.

None of the non-volatile memory in the system can be accessed by accidental keystrokes.

# Statement of Volatility

## WorkCentre 3615

### Device Module Descriptions

The data tables below detail the information regarding the volatile and non-volatile memory contained in the WorkCentre 3615 print engine.

| Volatile Memory Description                                                                                                                                            |       |                       |                                              |                   |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-----------------------|----------------------------------------------|-------------------|
| Type (SRAM, DRAM, etc)                                                                                                                                                 | Size  | User Modifiable (Y/N) | Function or Use                              | Process to Clear: |
| SDRAM                                                                                                                                                                  | 512MB | N                     | Executable code, Printer control data [MIOP] | Power Off System  |
| Optional SDRAM                                                                                                                                                         | 512MB | N                     | Executable code, Printer control data [X2C]  | Power Off System  |
| <b>Additional Information:</b><br>All memory listed above contains code for execution and configuration information. No user or job data is stored in these locations. |       |                       |                                              |                   |

| Non-Volatile Memory Description                                                                                                                                        |      |                       |                                                  |                   |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------------------|--------------------------------------------------|-------------------|
| Type (Flash, EEPROM, etc)                                                                                                                                              | Size | User Modifiable (Y/N) | Function or Use                                  | Process to Clear: |
| EEPROM                                                                                                                                                                 | 1MB  | via Diagnostics       | Control setpoints, configuration settings [MIOP] | Diagnostic        |
| Flash                                                                                                                                                                  | 8MB  | via Diagnostics       | Firmware [MIOP]                                  | Diagnostic        |
| Flash                                                                                                                                                                  | 8MB  | via Diagnostics       | Firmware [X2C]                                   | Diagnostic        |
| EEPROM                                                                                                                                                                 | 1MB  | via Diagnostics       | Control setpoints, configuration settings [MIB]  | Diagnostic        |
| Flash                                                                                                                                                                  | 8MB  | via Diagnostics       | Firmware [MIB]                                   | Diagnostics       |
| <b>Additional Information:</b><br>All memory listed above contains code for execution and configuration information. No user or job data is stored in these locations. |      |                       |                                                  |                   |

| Hard Disk Descriptions                                         |                 |       |                        |                                    |                               |
|----------------------------------------------------------------|-----------------|-------|------------------------|------------------------------------|-------------------------------|
| Complete this table if the device has media storage capability |                 |       |                        |                                    |                               |
| Drive / Partition (System, Image):                             | Removable Y / N | Size: | User Modifiable: Y / N | Function:                          | Process to Clear:             |
| Optional SD card                                               | Y               | 4 GB  | N                      | Certificate Storage, Fonts, Macros | "Clear Storage" option on LUI |
| Additional Information:                                        |                 |       |                        |                                    |                               |

| Media and Storage Descriptions                                |                 |       |                        |           |                   |
|---------------------------------------------------------------|-----------------|-------|------------------------|-----------|-------------------|
| Type (disk drives, tape drives, CF/SD/XD memory cards, etc.): | Removable Y / N | Size: | User Modifiable: Y / N | Function: | Process to Clear: |
|                                                               |                 |       |                        |           |                   |
| Additional Information:                                       |                 |       |                        |           |                   |

| USB Port(s)                         |                                                         |
|-------------------------------------|---------------------------------------------------------|
| Complete an entry for each USB port |                                                         |
| USB port and location               | Purpose                                                 |
| USB 2.0 port                        | Enables computer connectivity for printing and scanning |
| Front Panel USB Port                | Enables scanning to and printing from USB drives        |
| Additional Information:             |                                                         |

| RFID Devices                                                                 |         |
|------------------------------------------------------------------------------|---------|
| Complete an entry for each RFID device or enter N/A then remove this column. |         |
| RFID Device                                                                  | Purpose |
| N/A                                                                          |         |
| Additional Information:                                                      |         |